



**BUREAU  
VERITAS**

Notified Body No 406 under Directive  
88/378/EEC – Safety of Toys  
Organisme notifié sous le numéro 406  
Selon la directive 88/378/EEC – Sécurité des jouets

Page 1 of 1


**CERTIFICATE OF COMPLIANCE**  
**Certificat de Conformité**

CLIENT:	JOKER (FAR EAST) LTD		
TEST REPORT NUMBER: RAPPORT D'ESSAIS N°	(5209)142-0751	DATE OF ISSUANCE: DATE DU CERTIFICAT	JUNE 05, 2009
SAMPLE REFERENCE NO: REFERENCE DE L'ECHANTILLON	33705	DATE RECEIVED: DATE DE RECEPTION	JUNE 01, 2009
ASSORTMENT NO.: NUMÉRO D'ASSORTIMENT	N/A	CLIENT REFERENCE NO.: NUMÉRO DE RÉFÉRENCE CLIENT	N/A
SAMPLE DESCRIPTION: DESCRIPTION DE L'ECHANTILLON	DINO IN MY SLIMY 33705 ORIGINAL SWISS FORMULA 1.) STYRACOSAURUS 2.) SPINOSAURUS 3.) DIMETRODON		
APPLIED STANDARDS: NORMES APPLIQUEES	EN 71 PT.1-05:A6 MECHANICAL HAZARDS (1-7) EN 71 PT.2 FLAMMABILITY EN 71 PT.3 HEAVY METALS CONTENT		

Based on the test results and conclusions contained in the above mentioned test report, and following the Mutual Recognition Agreement (MRA) between HOKLAS and COFRAC, we consider that the tested sample complies with the above listed European standards.

Selon les résultats d'essais et les conclusions contenus dans le rapport d'essais mentionné ci-dessus, et suite à l'agrément de reconnaissance mutuel entre HOKLAS et COFRAC, nous considérons que l'échantillon soumis aux essais est conforme aux exigences des normes européennes listées ci-dessus.

BUREAU VERITAS HONG KONG LIMITED



Lau Wing Kit, Keff  
Director  
Toys and Juvenile Products Department

KL/ml

The document was prepared and checked by Bureau Veritas Hong Kong Limited as a delegation of signature from Bureau Veritas Consumer Products Services (France) based on ISO17025 under BVCPS Quality Management System.



**BUREAU  
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

**JOKER (FAR EAST) LTD**

**Technical Report:** (5209)142-0751  
Date Received: June 01, 2009

June 05, 2009

Page 1 of 9

HARRIS CHAN  
JOKER (FAR EAST) LTD  
UNIT 501 ENERGY PLAZA  
92 GRANVILLE RD  
TSIM SHA TSUI  
KOWLOON  
HONG KONG

Sample Description:	DINO IN MY SLIMY 33705 ORIGINAL SWISS FORMULA		
	1.) STYRACOSAURUS		
	2.) SPINOSAURUS		
	3.) DIMETRODON		
Vendor:	N/A	Sample Size:	6
Manufacturer:	JOKER AG/SA	Style No(s):	33705
Buyer:	TOP TOY	SKN/SKU No.:	N/A
Labeled Age Grade:	+3	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Ref #:	N/A
Client Specified Age Grade:	3+	Country of Origin:	CHINA
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
UPC Code:	7611212337056		
Test Starting Date:	JUNE 01, 2009		
Test Finished Date:	JUNE 05, 2009		

**EXECUTIVE SUMMARY:**

The style #3 sample(s) MEET the following requirement(s):

The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2005, and Amendment A6:2008, Clauses 1-7.

- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The migration of certain elements requirements of the European Standard, "Safety of toys", EN 71: Part 3: 1994, and Amendments – A1:2000/ AC:2002.



JOKER (FAR EAST) LTD  
Technical Report: **(5209)142-0751**  
June 05, 2009  
Page 2 of 9

**EXECUTIVE SUMMARY:**

Note: The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was not subject to migration of certain elements of European Standard, "Safety of Toys, EN 71:Part 3:1994 and Amendments – A1:2000/ AC:2002", as specified in Clause 7 - Selection of test portions.

BUREAU VERITAS HONG KONG LIMITED

Choy Hon Kwong, Adams  
Senior Manager  
Chemical Department

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff  
Director  
Toys and Juvenile Products Department

AC/KL/ml

*This report shall not be reproduced except in full, without the written approval of our laboratory.*



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
Technical Report: **(5209)142-0751**

June 05, 2009  
Page 3 of 9

**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2005, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6**

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
 Technical Report: **(5209)142-0751**  
 June 05, 2009  
 Page 4 of 9

**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

Subclause	Requirement	Result
4.1	Materials	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Toys Kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.2	Free wheeling toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Instruction for use	NA
4.15.2.3	Toy bicycles – Saddle height	NA
4.15.2.4	Toy bicycles - Braking	NA
4.15.3 & 7.16	Rocking horses	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.19	Toys scooters	NA
4.16	Heavy immobile toys	NA
4.17.1	Projectiles – General	NA
4.17.2	Projectiles toys without stored energy	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.7	Bows and arrows	NA
4.18 & 7.4	Aquatic toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA



JOKER (FAR EAST) LTD  
 Technical Report: (5209)142-0751  
 June 05, 2009  
 Page 5 of 9

**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

Subclause	Requirement	Result
4.20*a, b, c, e, f, & 7.14	Acoustics	NA
4.20d	Acoustics – Percussion caps	NA
4.21	Toys containing a heat source	NA
4.22 & 7.2	Small balls	NA
<b>FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS</b>		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section < 2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Splinters	NA
5.1g	Casing of toys	NA
5.2	Filing materials	NA
5.3	Adhesion of plastic sheeting	NA
5.4 & 7.11	Cords on toys	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
6	Packaging	NA
<b>WARNINGS, INSTRUCTIONS FOR USE</b>		
7.1	Warnings, instructions for use	M
7.1	Importer name & address	M
7.1	Retain statement	M
7.1	CE marking	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
 Technical Report: **(5209)142-0751**  
 June 05, 2009  
 Page 6 of 9

**RESULTS:**

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.5	8.15
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.6	8.29
4.7	8.11	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.8	8.16
4.8	8.12, 8.13	4.15.1.5	8.26.1	4.20	8.28	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.21	8.30	5.11	8.33
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	5.2	8.2, 8.4.2.2, 8.10		
4.13	8.19	4.16	8.23.2	5.3	8.4.2.1, 8.25		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3	5.4	8.20		

\* Note: With modification by using Sound level meter complying with the specifications of IEC60651 and IEC60804.



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
 Technical Report: **(5209)142-0751**  
 June 05, 2009  
 Page 7 of 9

**RESULTS:**

**FLAMMABILITY (EN 71: PART 2: 2006 & AMENDMENT A1: 2007 )**

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Dangerous flammable gases, liquids and solids	NP
4.1	Materials with a pile surface which produces a flash effect on the approach of a flame	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play with warning	NA
4.4	Toys intended to be entered by a child	NA
4.4	Toys intended to be entered by a child with warning	NA
4.5	Filled soft toys with a pile or textile surface	NA

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
 Technical Report: **(5209)142-0751**  
 June 05, 2009  
 Page 8 of 9

**RESULTS:**

**MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments-A1:2000/AC:2002)**

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

Sample Identity	Color	Location	Style
Material classification: Category I - SURFACE COATINGS			
A.	dark grey/ green underlying	figure	3
B.	green	figure	3
Material classification: Category I - POLYMERIC MATERIALS			
C.	grey/ yellow	egg	3
D.	neon yellow soft	inside egg	3
E.	white	lid of egg	3

Element	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of trace Amount	Conclusion		
Max. Limit (Category I) (mg/kg)	25	1000	75	60	60	90	60	500				
Max. Limit (Category II) (mg/kg)	25	250	50	25	25	90	60	500				
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%				
Sample	Result (mg/kg)								(gram)	Conclusion		
A.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	0.0103	Pass		
B.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	0.0102	Pass		
C.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
D.	LT 2	2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
E.	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		

mg/kg = milligrams per kilogram (ppm=parts per million)  
 CR = adjusted analytical result  
 LT = Less Than  
 \* = Average of duplicate analysis



As = Arsenic, Ba = Barium, Cd = Cadmium,  
 Cr = Chromium, Hg = Mercury, Pb = Lead,  
 Sb = Antimony, Se = Selenium



**BUREAU  
VERITAS**

JOKER (FAR EAST) LTD  
Technical Report: **(5209)142-0751**  
June 05, 2009  
Page 9 of 9

**RESULTS:**



END OF REPORT