



**BUREAU
VERITAS**

Page 1 of 1

CONSUMER PRODUCTS SERVICES DIVISION

**CERTIFICATE OF COMPLIANCE
Certificat de Conformité**

CLIENT:	JOKER (FAR EAST) LTD		
TEST REPORT NUMBER: RAPPORT D'ESSAIS N°	(8509)089-0019	DATE OF ISSUANCE: DATE DU CERTIFICAT	APRIL 17, 2009
SAMPLE REFERENCE NO.: REFERENCE DE L'ECHANTILLON	N/A	DATE RECEIVED: DATE DE RECEPTION	MARCH 30, 2009
ASSORTMENT NO.: NUMÉRO D'ASSORTIMENT	N/A	CLIENT REFERENCE NO.: NUMÉRO DE RÉFÉRENCE CLIENT	N/A
SAMPLE DESCRIPTION: DESCRIPTION DE L'ECHANTILLON	SLIMY NOSE WITH 85G GREEN SLIME AND 1 ANT. GIRO FLIPY MOCOLOCO.33715-4FI0002. SWISS FORMULA BATCH C239. (ON PACKAGING: FLIPY MOCOLOCO)		
APPLIED STANDARDS: NORMES APPLIQUEES	EN 71 PT.1-05:A6 MECHANICAL HAZARDS (1-7) EN 71 PT.2 FLAMMABILITY EN 71 Part 2 cl. 4.1 LIQUID FLAMMABILITY EN 71 PT.3 HEAVY METALS CONTENT		

Based on the test results and conclusions contained in the above mentioned test report, we consider that the tested sample complies with the above listed European standards.

Selon les résultats d'essais et les conclusions contenus dans le rapport d'essais mentionné ci-dessus, nous considérons que l'échantillon soumis aux essais est conforme aux exigences des normes européennes listées ci-dessus.

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff
Director
Toys and Juvenile Products Department

KL/ci

Bureau Veritas
Hong Kong Limited
Kowloon Bay Office
HOKLAS No.58

Bureau Veritas
Consumer Products Services (France)
88/378/EEC Notified Body No.406

Bureau Veritas
Consumer Products Services UK Ltd
Notified Body Number 358



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (8509)089-0019
Date Received: April 17, 2009

April 17, 2009
Page 1 of 7

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description:	SLIMY NOSE WITH 85G GREEN SLIME AND 1 ANT. GIRO FLIPY MOCOLOCO.33715-4FI0002. SWISS FORMULA BATCH C239. (ON PACKAGING: FLIPY MOCOLOCO)		
Vendor:	JOKER (FAR EAST) LTD	Sample Size:	3
Manufacturer:	LS	Style No(s):	N/A
Buyer:	JOKER	SKN/SKU No.:	N/A
Labeled Age Grade:	+4	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Ref #:	N/A
Client Specified Age Grade:	3+	Country of Origin:	CHINA
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
UPC Code:	8437009617113	Test Starting Date:	MARCH 30, 2009
Test Finished Date:	APRIL 17, 2009		

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The general liquid flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2005, and Amendment A6:2008, Clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The migration of certain elements requirements of the European Standard, "Safety of toys", EN 71: Part 3: 1994, and Amendments – A1:2000/ AC:2002.

BUREAU VERITAS HONG KONG LIMITED

Wendy Cha
Manager
Toys And Juvenile Products Department

WC/ci

This report shall not be reproduced except in full, without the written approval of our laboratory.

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2005, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

Subclause	Requirement	Result
4.1	Materials	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Toys Kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.2	Free wheeling toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Instruction for use	NA
4.15.2.3	Toy bicycles – Saddle height	NA
4.15.2.4	Toy bicycles - Braking	NA
4.15.3 & 7.16	Rocking horses	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.19	Toys scooters	NA

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.1	Projectiles – General	NA
4.17.2	Projectiles toys without stored energy	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.7	Bows and arrows	NA
4.18 & 7.4	Aquatic toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20*a, b, c, e, f, & 7.14	Acoustics	NA
4.20d	Acoustics – Percussion caps	NA
4.21	Toys containing a heat source	NA
4.22 & 7.2	Small balls	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section < 2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Splinters	NA
5.1g	Casing of toys	NA
5.2	Filing materials	NA
5.3	Adhesion of plastic sheeting	NA
5.4 & 7.11	Cords on toys	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
6	Packaging	NA
WARNINGS, INSTRUCTIONS FOR USE		
7.1	Warnings, instructions for use	NA
7.1	Importer name & address	M
7.1	Retain statement	M
7.1	CE marking	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.5	8.15
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.6	8.29
4.7	8.11	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.8	8.16
4.8	8.12, 8.13	4.15.1.5	8.26.1	4.20	8.28	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.21	8.30	5.11	8.33
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	5.2	8.2, 8.4.2.2, 8.10		
4.13	8.19	4.16	8.23.2	5.3	8.4.2.1, 8.25		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3	5.4	8.20		

* Note: With modification by using Sound level meter complying with the specifications of IEC60651 and IEC60804.

RESULTS:

FLAMMABILITY (EN 71: PART 2: 2006 & AMENDMENT A1: 2007)

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Dangerous flammable gases, liquids and solids	NP
4.1	Materials with a pile surface which produces a flash effect on the approach of a flame	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play with warning	NA
4.4	Toys intended to be entered by a child	NA
4.4	Toys intended to be entered by a child with warning	NA
4.5	Filled soft toys with a pile or textile surface	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments-A1:2000/AC:2002)

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

Sample Identity	Color	Location	Style
Material classification: Category I - POLYMERIC MATERIALS			
A.	Transparent plastic	Nose	
B.	Light green plastic	Lip	
Material classification: Category II - POLYMERIC MATERIALS			
C.	Green gels	Inside gel	

Element	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of trace Amount	Conclusion		
Max. Limit (Category I) (mg/kg)	25	1000	75	60	60	90	60	500				
Max. Limit (Category II) (mg/kg)	25	250	50	25	25	90	60	500				
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%				
Sample	Result (mg/kg)								(gram)	Conclusion		
A	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
B	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
C	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		

mg/kg = milligrams per kilogram (ppm=parts per million)
 CR = adjusted analytical result
 LT = Less Than
 * = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium,
 Cr = Chromium, Hg = Mercury, Pb = Lead,
 Sb = Antimony, Se = Selenium

RESULTS:



END OF REPORT



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (8509)089-0019 (A)
Date Received: April 17, 2009

April 17, 2009
Page 1 of 3

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description:	SLIMY NOSE WITH 85G GREEN SLIME AND 1 ANT. GIRO FLIPY MOCOLOCO.33715-4FI0002. SWISS FORMULA BATCH C239. (ON PACKAGING: FLIPY MOCOLOCO)		
Vendor:	JOKER (FAR EAST) LTD	Sample Size:	3
Manufacturer:	LS	Style No(s):	N/A
Buyer:	JOKER	SKN/SKU No.:	N/A
Labeled Age Grade:	+4	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Ref #:	N/A
Client Specified Age Grade:	3+	Country of Origin:	CHINA
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
UPC Code:	8437009617113		

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The BBP, DBP and DEHP content requirements of the European Communities 2005/84/EC amending for the 22nd time Council Directive 76/769/EEC on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations (phthalates in toys and childcare articles).
- The DNOP, DINP and DIDP content requirements of the European Communities 2005/84/EC amending for the 22nd time Council Directive 76/769/EEC on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations (phthalates in toys and childcare articles).
- The cadmium content requirements of the European Council Directive 91/338/EEC of 18 June 1991 amending for the 10th time Directive 76/769/EEC on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations*.

BUREAU VERITAS HONG KONG LIMITED

Gary Kwok
Manager
Analytical Department

GK/ci



JOKER (FAR EAST) LTD

Technical Report: **(8509)089-0019 (A)**

April 17, 2009

Page 2 of 3

RESULTS:

CADMIUM CONTENT (European Council Directive 91/338/EEC, Relating to restrictions on the marketing and use of certain dangerous substances and preparations)

Category:			Plastics			
Element:			Cadmium			
Test Method			BS EN 1122: 2001, Method B			
Maximum Allowable Limit:			100 mg/kg (0.01% by weight)			
Sample Description			Reading 1	Reading 2	Average	Conclusion
Color / Component	Location	Style	Result (mg/kg)			
(A) Polymeric Transparent plastic Light green plastic	Nose Lip		LT 10	#	-	Pass

LT = Less than

= Insufficient sample for duplicate analyses

mg/kg = milligrams per kilogram (ppm = parts per million)

Operator: Tsui Chi Piu, Cyrus

PHthalATES CONTENT IN TOYS AND CHILDCARE ARTICLES (2005/84/EC BBP / DBP / DEHP CONTENT)

Sample Identity	Test Component	Location	Style
A.	Transparent plastic Green plastic	Nose Lid	
B.	Green gel	Gel	

Test Parameter:	BBP	DBP	DEHP	Sum of three phthalates	
Limit (%):	0.1	0.1	0.1	0.1	
Sample	Result (%)				Conclusion
A.	ND	ND	ND	ND	Pass
B.	ND	ND	ND	ND	Pass

Detection Limit :

BBP = Butyl benzyl phthalate (0.005%)

DBP = Dibutyl phthalate (0.005%)

DEHP = Di(2-ethylhexyl) phthalate (0.005%)

Results reported in percentage

LT = Less than

ND = None detected

RESULTS:

PHthalATES CONTENT IN TOYS AND CHILDCARE ARTICLES WHICH CAN BE PLACED IN MOUTH BY THE CHILDREN (2005/84/EC DNOP / DINP / DIDP CONTENT)

Sample Identity	Test Component	Location	Style
A.	Transparent plastic Green plastic	Nose Lid	
B.	Green gel	Gel	

Test Parameter:	DNOP	DINP	DIDP	Sum of three phthalates	
Limit (%):	0.1	0.1	0.1	0.1	
Sample	Result (%)				Conclusion
A.	ND	ND	ND	ND	Pass
B.	ND	ND	ND	ND	Pass

Detection Limit :

DNOP = Di-n-octyl phthalate (0.005%)
DINP = Di-iso-nonyl phthalate (0.005%)
DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage
LT = Less than
ND = None detected