



CONSUMER PRODUCTS SERVICES DIVISION

## JOKER (FAR EAST) LTD

**Technical Report:** (5209)273-0443  
Date Received: September 30, 2009

October 07, 2009

Page 1 of 9

HARRIS CHAN  
JOKER (FAR EAST) LTD  
UNIT 501 ENERGY PLAZA  
92 GRANVILLE RD  
TSIM SHA TSUI  
KOWLOON  
HONG KONG

Sample Description: MINI ORIGINAL SLIMY GREEN YELLOW AND PINK 46061-46067

1. ) GREEN
2. ) YELLOW
3. ) PINK

Vendor:	LS	Sample Size:	9
Manufacturer:	JOKER AG/SA	Style No(s):	46067
Buyer:	TOP TOY	SKN/SKU No.:	N/A
Labeled Age Grade:	+3	PO No.:	N/A
Appropriate Age Grade:	NOT REQUESTED	Ref #:	N/A
Client Specified Age:	3+	Country of Origin:	CHINA
Grade:			
Tested Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
UPC Code:	7611212460679		
Test Starting Date:	SEPTEMBER 30, 2009		
Test Finished Date:	OCTOBER 07, 2009		

### **EXECUTIVE SUMMARY:**

The sample(s) MEET the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2005, incorporating amendment A8:2009, clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The migration of certain elements requirements of the European Standard, "Safety of toys", EN 71: Part 3: 1994, and Amendments – A1:2000/ AC:2002.



JOKER (FAR EAST) LTD  
Technical Report: **(5209)273-0443**  
October 07, 2009  
Page 2 of 9

**EXECUTIVE SUMMARY:**

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was not subject to migration of certain elements of European Standard, "Safety of Toys, EN 71:Part 3:1994 and Amendments – A1:2000/ AC:2002", as specified in Clause 7 - Selection of test portions.

BUREAU VERITAS HONG KONG LIMITED

Choy Hon Kwong, Adams  
Senior Manager  
Chemical Department

AC/KL/tk

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff  
Director  
Toys and Juvenile Products Department

*This report shall not be reproduced except in full, without the written approval of our laboratory.*



**RESULTS:**

**APPROPRIATE AGE GRADE DETERMINATION**

<p>The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2005, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p>
<p>Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.</p>

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
 (EN 71: PART 1: 2005 AND AMENDMENT A8: 2009)**

Subclause	Requirement	Result
4.1	Material	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Toy Kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.2	Free wheeling toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Instruction for use	NA
4.15.2.3	Toy bicycles – Saddle height	NA
4.15.2.4	Toy bicycles - Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toys scooters	NA
4.16	Heavy immobile toys	NA
4.17.1	Projectiles – General	NA
4.17.2	Projectiles toys without stored energy	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.7	Bows and arrows	NA
4.18 & 7.4	Aquatic toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA



**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
 (EN 71: PART 1: 2005 AND AMENDMENT A8: 2009)**

Subclause	Requirement	Result
4.20* a, b, c, e, f, & 7.14	Acoustics	NA
4.20d	Acoustics – Percussion caps	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets	NA
<b>FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS</b>		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section < 2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Splinters	NA
5.1g	Casing of toys	NA
5.2	Filing materials	NA
5.3	Adhesion of plastic sheeting	NA
5.4 & 7.11	Cords on toys	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
6	Packaging	NA
<b>WARNINGS, INSTRUCTIONS FOR USE</b>		
7.1	Warnings, instructions for use	NA
7.1	Importer name & address	M
7.1	Retain statement	M
7.1	CE marking	M
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA



**RESULTS:**

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.4	8.20
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.5	8.15
4.7	8.11	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.6	8.29
4.8	8.12, 8.13	4.15.1.5	8.26.1	4.20	8.28	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.21	8.30	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.7, 8.8, 8.34, 8.35	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.2	8.2, 8.4.2.2, 8.10		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3	5.3	8.4.2.1, 8.25		

\* Note: With modification by using Sound level meter complying with the specifications of IEC60651 and IEC60804.



**RESULTS:**

**FLAMMABILITY (EN 71: PART 2: 2006 & AMENDMENT A1: 2007 )**

Subclause	Requirement	Result
4.1	Celluloid (cellulose nitrate)	NP
4.1	Dangerous flammable gases, liquids and solids	NP
4.1	Materials with a pile surface which produces a flash effect on the approach of a flame	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play	NA
4.3	Toy disguise costumes and toys intended to be worn by child on play with warning	NA
4.4	Toys intended to be entered by a child	NA
4.4	Toys intended to be entered by a child with warning	NA
4.5	Filled soft toys with a pile or textile surface	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-



**RESULTS:**

**MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments–A1:2000/AC:2002)**

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

Sample Identity	Color	Location	Style
Material classification: Category I - SURFACE COATINGS			
A.	all coating	bottle	1-3
Material classification: Category I - POLYMERIC MATERIALS			
B.	translucent	bottle and lid	1-3
C.	transparent plastic sticker	bottle	1-3
D.	green, soft	slimy	1
E.	yellow, soft	slimy	2
F.	pink, soft	slimy	3

Element	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of trace Amount	Conclusion		
Max. Limit (Category I) (mg/kg)	25	1000	75	60	60	90	60	500				
Max. Limit (Category II) (mg/kg)	25	250	50	25	25	90	60	500				
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%				
Sample	Result (mg/kg)								(gram)	Conclusion		
A	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	0.0274	Pass		
B	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
C	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
D	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		
E	LT 6	LT 6	LT 6	LT 6	LT 6	LT 6	LT 6	LT 6		Pass		
F	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		Pass		

mg/kg = milligrams per kilogram (ppm=parts per million)  
 CR = adjusted analytical result  
 LT = Less Than  
 \* = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium,  
 Cr = Chromium, Hg = Mercury, Pb = Lead,  
 Sb = Antimony, Se = Selenium

**RESULTS:**



Sample Number  
(5209)273-0443



Sample Number  
(5209)273-0443



Sample Number  
(5209)273-0443

END OF REPORT