



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (8509)127-0053

May 15, 2009

Date Received: May 07, 2009

Page 1 of 7

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description: OOPS SLIMY 33815-46081-46085 ORIGINAL SWISS FORMULA (ON PACKAGING :
OOPS SLIMY)

1.) GREEN
2.) YELLOW
3.) PINK

Vendor: JOKER (FAR EAST) LTD
Manufacturer: LS
Buyer: JOKER
Labeled Age Grade: +3
Appropriate Age Grade: NOT REQUESTED
Client Specified Age: 3+
Grade:
Tested Age Grade: OVER 3 YEARS OF AGE
UPC Code: 7611212338152

Sample Size: 6
Style No(s): 33815
SKN/SKU No.: N/A
PO No.: N/A
Ref #: N/A
Country of Origin: CHINA
Assortment No.: N/A
Test Starting Date: MAY 07, 2009
Test Finished Date: MAY 15, 2009

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2005, and Amendment A6:2008, Clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The migration of certain elements requirements of the European Standard, "Safety of toys", EN 71: Part 3: 1994, and Amendments - A1:2000/ AC:2002.

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

BUREAU VERITAS HONG KONG LIMITED

Wendy Cha
Manager
Toys And Juvenile Products Department

WC/ci

This report shall not be reproduced except in full, without the written approval of our laboratory.



JOKER (FAR EAST) LTD
 Technical Report: (8509)127-0053

May 15, 2009

Page 2 of 7

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2005, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

| Symbol | Explanation | | | | |
|--------|---|--------|--------------------|--------|---------------------|
| NM | The sample(s) DOES NOT MEET the requirement of this Subclause | | | | |
| M | The sample(s) MEET the requirement of this Subclause | | | | |
| N/A | Not Applicable | | | | |
| NR | Not Requested | | | | |
| NE | Not Evaluated | | | | |
| NP | None Present | | | | |
| P | Present | | | | |
| R | Refer to Comment Section of this report | | | | |
| Symbol | Language Present | Symbol | Language Present | Symbol | Language Present |
| B | Belgian language | G | German language | PR | Portuguese language |
| D | Danish language | GR | Greek language | S | Spanish language |
| E | English language | H | Dutch language | SD | Swedish language |
| F | Finnish language | I | Italian language | SZ | Swiss language |
| FR | French language | N | Norwegian language | | |

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

| Subclause | Requirement | Result |
|--------------|----------------------------------|--------|
| 4.1 | Materials | M |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 & 7.6 | Edges | M |
| 4.8 & 7.6 | Points and metallic wires | M |
| 4.9 | Protruding parts | NA |
| 4.10.1 | Folding and sliding mechanisms | NA |
| 4.10.2 | Driving mechanisms | NA |
| 4.10.3 | Hinges | NA |
| 4.10.4 | Springs | NA |
| 4.11 | Mouth actuated toys | NA |
| 4.12 & 7.3 | Balloons | NA |
| 4.13 & 7.9 | Toys Kites and other flying toys | NA |
| 4.14.1 | Toys which a child can enter | NA |
| 4.14.2 & 7.8 | Masks and helmets | NA |
| 4.15.1 | Toys propelled by child | |



JOKER (FAR EAST) LTD
 Technical Report: (8509)127-0053
 May 15, 2009
 Page 3 of 7

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

| Subclause | Requirement | Result |
|----------------------------|---|--------|
| 4.15.1.2 & 7.10 & 7.16 | Toys propelled by child -- Instructions for use | NA |
| 4.15.1.3 | Toys propelled by child -- Strength | NA |
| 4.15.1.4 | Toys propelled by child -- Stability | NA |
| 4.15.1.5 | Toys propelled by child -- Braking | NA |
| 4.15.1.6 | Toys propelled by child - Transmission | NA |
| 4.15.2 | Free wheeling toy bicycles | |
| 4.15.2.2 & 7.15 | Toy bicycles -- Instruction for use | NA |
| 4.15.2.3 | Toy bicycles -- Saddle height | NA |
| 4.15.2.4 | Toy bicycles - Braking | NA |
| 4.15.3 & 7.16 | Rocking horses | NA |
| 4.15.4 & 7.16 | Toys not propelled by child | NA |
| 4.15.5 & 7.19 | Toys scooters | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17.1 | Projectiles -- General | NA |
| 4.17.2 | Projectiles toys without stored energy | NA |
| 4.17.3 & 7.7 | Projectile toys with stored energy | NA |
| 4.17.4 & 7.7 | Bows and arrows | NA |
| 4.18 & 7.4 | Aquatic toys | NA |
| 4.19 & 7.13 & 7.14 | Percussion caps | NA |
| 4.20*a, b, c, e, f, & 7.14 | Acoustics | NA |
| 4.20d | Acoustics -- Percussion caps | NA |
| 4.21 | Toys containing a heat source | NA |
| 4.22 & 7.2 | Small balls | NA |
| | FOR TOYS INTENDED FOR CHILDREN UNDER 38 MONTHS | |
| 5.1 | General | NA |
| 5.1a | Small parts -- as received | NA |
| 5.1b | Small parts, sharp points, sharp edges -- after tests | NA |
| 5.1c | Cross section < 2mm metal points & wires | NA |
| 5.1e | Toys contain glue | NA |
| 5.1f | Splinters | NA |
| 5.1g | Casing of toys | NA |
| 5.2 | Filing materials | NA |
| 5.3 | Adhesion of plastic sheeting | NA |
| 5.4 & 7.11 | Cords on toys | NA |
| 5.5 & 7.12 | Liquid filled toys | NA |
| 5.6 | Electrically driven toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size | NA |



JOKER (FAR EAST) LTD
 Technical Report: (8509)127-0053
 May 15, 2009
 Page 4 of 7

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

| Subclause | Requirement | Result |
|---------------------------------------|--|--------|
| 5.9 & 7.17 | Monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric shaped toys | NA |
| 5.13 | Suction cups | NA |
| 6 | Packaging | NA |
| WARNINGS, INSTRUCTIONS FOR USE | | |
| 7.1 | Warnings, instructions for use | NA |
| 7.1 | Importer name & address | M |
| 7.1 | Retain statement | M |
| 7.1 | CE marking | M |
| 7.2 | Toys not intended for children under 36 months | NA |
| 7.5 | Functional toys | NA |

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|--|------------|---|------------|---|------------|---|
| 4.3 | 8.25.1 | 4.14.2 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12 | 4.17.3 | 8.24.1 | 5.5 | 8.15 |
| 4.6 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14 | 4.15.1.3 | 8.11, 8.12, 8.21, 8.22 | 4.17.4 | 8.24.2 | 5.6 | 8.29 |
| 4.7 | 8.11 | 4.15.1.4 | 8.23.1 | 4.18 | 8.2, 8.3, 8.4.2.1 | 5.8 | 8.16 |
| 4.8 | 8.12, 8.13 | 4.15.1.5 | 8.26.1 | 4.20 | 8.28 | 5.10 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32 |
| 4.9 | 8.4.2.3, 8.11, 8.12 | 4.15.2.4 | 8.26.2 | 4.21 | 8.30 | 5.11 | 8.33 |
| 4.10.1 | 8.18.2, 8.18.3 | 4.15.3 | 8.21, 8.23.1 | 4.22 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32 | 5.12 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9 |
| 4.10.2 | 8.5, 8.6, 8.7, 8.11, 8.12 | 4.15.4 | 8.21, 8.23.1 | 5.1 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12 | 5.13 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32 |
| 4.11 | 8.2, 8.3, 8.4.2.1, 8.9, 8.17 | 4.15.5 | 8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27 | 5.2 | 8.2, 8.4.2.2, 8.10 | | |
| 4.13 | 8.19 | 4.16 | 8.23.2 | 5.3 | 8.4.2.1, 8.25 | | |
| 4.14.1 | 8.31.1, 8.31.2 | 4.17.1 | 8.4.2.3 | 5.4 | 8.20 | | |

* Note: With modification by using Sound level meter complying with the specifications of IEC60651 and IEC60804.



JOKER (FAR EAST) LTD
 Technical Report: **(8509)127-0053**
 May 15, 2009
 Page 5 of 7

RESULTS:

FLAMMABILITY (EN 71: PART 2: 2006 & AMENDMENT A1: 2007)

| Subclause | Requirement | Result |
|-----------|--|--------|
| 4.1 | Celluloid (cellulose nitrate) | NP |
| 4.1 | Dangerous flammable gases, liquids and solids | NP |
| 4.1 | Materials with a pile surface which produces a flash effect on the approach of a flame | NA |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child on play | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child on play with warning | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.4 | Toys intended to be entered by a child with warning | NA |
| 4.5 | Filled soft toys with a pile or textile surface | NA |

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|-------------|------------|-------------|------------|-------------|------------|-------------|
| 4.2.2 | 5.2 | 4.2.4 | 5.3 | 4.3 | 5.4 | 4.5 | 5.5 |
| 4.2.3 | 5.3 | 4.2.5 | 5.4 | 4.4 | 5.4 | - | - |



JOKER (FAR EAST) LTD
 Technical Report: (8509)127-0053
 May 15, 2009
 Page 6 of 7

RESULTS:**MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments-A1:2000/AC:2002)**

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

| Sample Identity | Color | Location | Stylo |
|---|-------------------|-----------------|-------|
| Material classification: Category I - SURFACE COATINGS | | | |
| A. | All | Pattern on cup | All |
| Material classification: Category I - POLYMERIC MATERIALS | | | |
| B. | Transparent, soft | Plastic sticker | All |
| C. | Transparent | Cover & cup | All |
| Material classification: Category I - OTHER MATERIALS | | | |
| D. | Green | Inner cup | 1 |
| E. | Yellow | Inner cup | 2 |
| F. | Pink | Inner cup | 3 |

| Element | As | Ba | Cd | Cr | Hg | Pb | Sb | Se | Mass of trace Amount | Conclusion | | |
|----------------------------------|----------------|------|------|------|------|------|------|------|----------------------|------------|--------|--|
| Max. Limit (Category I) (mg/kg) | 25 | 1000 | 75 | 60 | 60 | 90 | 60 | 500 | | | (gram) | |
| Max. Limit (Category II) (mg/kg) | 25 | 250 | 50 | 25 | 25 | 90 | 60 | 500 | | | | |
| Analytical Correction | 60% | 30% | 30% | 30% | 50% | 30% | 60% | 60% | | | | |
| Sample | Result (mg/kg) | | | | | | | | (gram) | Conclusion | | |
| A | LT 2 | 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | 0.0298 | Pass | | |
| B | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass | | |
| C | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass | | |
| D | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass | | |
| E | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass | | |
| F | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass | | |

mg/kg = milligrams per kilogram (ppm=parts per million)

CR = adjusted analytical result

LT = Less Than



* = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium,
 Cr = Chromium, Hg = Mercury, Pb = Lead,
 Sb = Antimony, Se = Selenium



JOKER (FAR EAST) LTD
Technical Report: (8509)127-0053
May 15, 2009
Page 7 of 7

RESULTS:



END OF REPORT



**BUREAU
VERITAS**

Page 1 of 1

CONSUMER PRODUCTS SERVICES DIVISION

CERTIFICATE OF COMPLIANCE
Certificat de Conformité

| | | | |
|---|---|--|--------------|
| CLIENT: | JOKER (FAR EAST) LTD | | |
| TEST REPORT NUMBER: RAPPORT D'ESSAIS N° | (8509)127-0053 | DATE OF ISSUANCE: DATE DU CERTIFICAT | MAY 15, 2009 |
| SAMPLE REFERENCE NO: REFERENCE DE L'ECHANTILLON | 33815 | DATE RECEIVED: DATE DE RECEPTION | MAY 07, 2009 |
| ASSORTMENT NO.: NUMÉRO D'ASSORTIMENT | N/A | CLIENT REFERENCE NO.: NUMÉRO DE RÉFÉRENCE CLIENT | N/A |
| SAMPLE DESCRIPTION: DESCRIPTION DE L'ECHANTILLON | OOOPS SLIMY 33815-46081-46085 ORIGINAL SWISS FORMULA (ON PACKAGING : OOOPS SLIMY) 1.) GREEN 2.) YELLOW 3.) PINK | | |
| APPLIED STANDARDS: NORMES APPLIQUEES | EN 71 PT.1-05:A6 MECHANICAL HAZARDS (1-7) EN 71 PT.2 FLAMMABILITY EN 71 PT.3 HEAVY METALS CONTENT | | |

Based on the test results and conclusions contained in the above mentioned test report, we consider that the tested sample complies with the above listed European standards.

Selon les résultats d'essais et les conclusions contenus dans le rapport d'essais mentionné ci-dessus, nous considérons que l'échantillon soumis aux essais est conforme aux exigences des normes européennes listées ci-dessus.

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff
Director
Toys and Juvenile Products Department

KL/ci

Bureau Veritas
Hong Kong Limited
Kowloon Bay Office
HOKLAS No.58

Bureau Veritas
Consumer Products Services (France)
88/378/EEC Notified Body No.406

Bureau Veritas
Consumer Products Services UK Ltd
Notified Body Number 358

Bureau Veritas Hong Kong Limited
Kowloon Bay Office
1/F Pacific Trade Centre, 2 Kai Hing Road,
Kowloon Bay, Kowloon, Hong Kong
Tel: (852) 2331 0988 Fax: (852) 2331 0889 www.bureauveritas.com/cpe

This report is prepared by, and accepted by reference, the Conditions of Testing set forth at the date of issuance of this report at <http://www.bureauveritas.com/cpe> and is intended for your exclusive use. Any copying or circulation of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from the date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice will be in writing and must specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unconditional acceptance of the completeness of this report, the tests conducted and the correctness of the report results.



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (8509)127-0053 (A)
Date Received: May 07, 2009

May 15, 2009
Page 1 of 2

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

| | | | |
|-----------------------------|---|--------------------|-------|
| Sample Description: | OOOPS SLIMY 33815-46081-46085 ORIGINAL SWISS FORMULA (ON PACKAGING : OOOPS SLIMY) 1.) GREEN 2.) YELLOW 3.) PINK | | |
| Vendor: | N/A | Sample Size: | 6 |
| Manufacturer: | LS | Style No(s): | 33815 |
| Buyer: | JOKER | SKN/SKU No.: | N/A |
| Labeled Age Grade: | +3 | PO No.: | N/A |
| Appropriate Age Grade: | NOT REQUESTED | Ref #: | N/A |
| Client Specified Age Grade: | 3+ | Country of Origin: | CHINA |
| Grade: | | Assortment No.: | N/A |
| Tested Age Grade: | OVER 3 YEARS OF AGE | | |
| UPC Code: | 7611212338152 | | |

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The cadmium content requirements of the European "Council Directive 91/338/EEC of 18 June 1991 amending for the 10th time Directive 76/769/EEC on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations".

BUREAU VERITAS HONG KONG LIMITED

Gary Kwok
Manager
Analytical Department

GK/ci



JOKER (FAR EAST) LTD
 Technical Report: (8509)127-0053 (A)
 May 15, 2009
 Page 2 of 2

RESULTS:

CADMIUM CONTENT (European Council Directive 91/338/EEC, Relating to restrictions on the marketing and use of certain dangerous substances and preparations)

| Category: | | | Plastics | | | |
|---|--------------------------------|------------|-----------------------------|-----------|---------|------------|
| Element: | | | Cadmium | | | |
| Test Method: | | | BS EN 1122: 2001, Method B | | | |
| Maximum Allowable Limit: | | | 100 mg/kg (0.01% by weight) | | | |
| Sample Description | | | Reading 1 | Reading 2 | Average | Conclusion |
| Color / Component | Location | Style | Result (mg/kg) | | | |
| (A) Polymeric Transparent, soft Transparent | Plastic sticker Cover & cup | All All | LT 11 | LT 11 | LT 11 | Pass |

LT = Less than

= Insufficient sample for duplicate analyses

mg/kg = milligrams per kilogram (ppm = parts per million)

Operator: Tsui Chi Piu, Cyrus

CADMIUM CONTENT (European Council Directive 91/338/EEC, Relating to restrictions on the marketing and use of certain dangerous substances and preparations)

| Category: | | | Paints | | |
|--------------------------|----------------|-------|-----------------------------|------------|--|
| Element: | | | Cadmium | | |
| Test Method: | | | In house acid digestion | | |
| Maximum Allowable Limit: | | | 100 mg/kg (0.01% by weight) | | |
| Test Component | | | Result | Conclusion | |
| Colour/Component | Location | Style | (mg/kg) | | |
| (A) Coating All | Pattern on cup | All | LT 3 | Pass | |

LT = Less than

* = Average of duplicate analyses

mg/kg = milligrams per kilogram (ppm = parts per million)