



**BUREAU
VERITAS**

Notified Body No 406 under Directive
88/378/EEC – Safety of Toys
Organisme notifié sous le numéro 406
Selon la directive 88/378/EEC – Sécurité des jouets

Page 1 of 1

CERTIFICATE OF COMPLIANCE
Certificat de Conformité

| | | | |
|---|---|--|--------------|
| CLIENT: | JOKER (FAR EAST) LTD | | |
| TEST REPORT NUMBER: RAPPORT D'ESSAIS N° | (5209)142-0743 | DATE OF ISSUANCE: DATE DU CERTIFICAT | MAY 26, 2009 |
| SAMPLE REFERENCE NO: REFERENCE DE L'ECHANTILLON | 33005 | DATE RECEIVED: DATE DE RECEPTION | MAY 25, 2009 |
| ASSORTMENT NO.: NUMÉRO D'ASSORTIMENT | N/A | CLIENT REFERENCE NO.: NUMÉRO DE RÉFÉRENCE CLIENT | N/A |
| SAMPLE DESCRIPTION: DESCRIPTION DE L'ECHANTILLON | ORIGINAL SLIMY 33005 ORIGINAL SWISS FORMULA GREEN YELLOW AND PINK 1.) GREEN YELLOW 2.) PINK | | |
| APPLIED STANDARDS: NORMES APPLIQUEES | EN 71 PT.1-05:A6 MECHANICAL HAZARDS (1-7) EN 71 PT.2 FLAMMABILITY EN 71 PT.3 HEAVY METALS CONTENT | | |

Based on the test results and conclusions contained in the above mentioned test report, and following the Mutual Recognition Agreement (MRA) between HOKLAS and COFRAC, we consider that the tested sample complies with the above listed European standards.

Selon les résultats d'essais et les conclusions contenus dans le rapport d'essais mentionné ci-dessus, et suite à l'agrément de reconnaissance mutuel entre HOKLAS et COFRAC, nous considérons que l'échantillon soumis aux essais est conforme aux exigences des normes européennes listées ci-dessus.

BUREAU VERITAS HONG KONG LIMITED



Lau Wing Kit, Keff
Director
Toys and Juvenile Products Department

KL/si

The document was prepared and checked by Bureau Veritas Hong Kong Limited as a delegation of signature from Bureau Veritas Consumer Products Services (France) based on ISO17025 under BVCPs Quality Management System.



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (5209)142-0743

May 26, 2009

Date Received: May 25, 2009

Page 1 of 10

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description: ORIGINAL SLIMY 33005 ORIGINAL SWISS FORMULA GREEN YELLOW AND PINK
1.) GREEN YELLOW
2.) PINK

| | | | |
|-----------------------------|---------------------|--------------------|-------|
| Vendor: | N/A | Sample Size: | 4 |
| Manufacturer: | JOKER AG/SA | Style No(s): | 33005 |
| Buyer: | TOP TOY | SKN/SKU No.: | N/A |
| Labeled Age Grade: | +3 | PO No.: | N/A |
| Appropriate Age Grade: | NOT REQUESTED | Ref #: | N/A |
| Client Specified Age Grade: | 3+ | Country of Origin: | CHINA |
| Tested Age Grade: | OVER 3 YEARS OF AGE | Assortment No.: | N/A |
| UPC Code: | 7611212330057 | | |
| Test Starting Date: | MAY 25, 2009 | | |
| Test Finished Date: | MAY 26, 2009 | | |

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2005, and Amendment A6:2008, Clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2006, and Amendment A1: 2007.
- The migration of certain elements requirements of the European Standard, "Safety of toys", EN 71: Part 3: 1994, and Amendments – A1:2000/ AC:2002.



JOKER (FAR EAST) LTD
Technical Report: **(5209)142-0743**
May 26, 2009
Page 2 of 10

EXECUTIVE SUMMARY:

Note: At the request of the client, the sample(s) was evaluated for use by children 3+.

Note: The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was not subject to migration of certain elements of European Standard, "Safety of Toys, EN 71:Part 3:1994 and Amendments – A1:2000/ AC:2002", as specified in Clause 7 - Selection of test portions.

BUREAU VERITAS HONG KONG LIMITED

Choy Hon Kwong, Adams
Senior Manager
Chemical Department

AC/KL/si

BUREAU VERITAS HONG KONG LIMITED

Lau Wing Kit, Keff
Director
Toys and Juvenile Products Department

This report shall not be reproduced except in full, without the written approval of our laboratory.



RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2005, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

| Symbol | Explanation | | | | |
|--------|---|--------|--------------------|--------|---------------------|
| NM | The sample(s) DOES NOT MEET the requirement of this Subclause | | | | |
| M | The sample(s) MEET the requirement of this Subclause | | | | |
| N/A | Not Applicable | | | | |
| NR | Not Requested | | | | |
| NE | Not Evaluated | | | | |
| NP | None Present | | | | |
| P | Present | | | | |
| R | Refer to Comment Section of this report | | | | |
| Symbol | Language Present | Symbol | Language Present | Symbol | Language Present |
| B | Belgian language | G | German language | PR | Portuguese language |
| D | Danish language | GR | Greek language | S | Spanish language |
| E | English language | H | Dutch language | SD | Swedish language |
| F | Finnish language | I | Italian language | SZ | Swiss language |
| FR | French language | N | Norwegian language | | |

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

| Subclause | Requirement | Result |
|----------------------------|--|--------|
| 4.1 | Materials | M |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 & 7.6 | Edges | M |
| 4.8 & 7.6 | Points and metallic wires | M |
| 4.9 | Protruding parts | NA |
| 4.10.1 | Folding and sliding mechanisms | NA |
| 4.10.2 | Driving mechanisms | NA |
| 4.10.3 | Hinges | NA |
| 4.10.4 | Springs | NA |
| 4.11 | Mouth actuated toys | NA |
| 4.12 & 7.3 | Balloons | NA |
| 4.13 & 7.9 | Toys Kites and other flying toys | NA |
| 4.14.1 | Toys which a child can enter | NA |
| 4.14.2 & 7.8 | Masks and helmets | NA |
| 4.15.1 | Toys propelled by child | |
| 4.15.1.2 & 7.10 & 7.16 | Toys propelled by child – Instructions for use | NA |
| 4.15.1.3 | Toys propelled by child – Strength | NA |
| 4.15.1.4 | Toys propelled by child – Stability | NA |
| 4.15.1.5 | Toys propelled by child – Braking | NA |
| 4.15.1.6 | Toys propelled by child - Transmission | NA |
| 4.15.2 | Free wheeling toy bicycles | |
| 4.15.2.2 & 7.15 | Toy bicycles – Instruction for use | NA |
| 4.15.2.3 | Toy bicycles – Saddle height | NA |
| 4.15.2.4 | Toy bicycles - Braking | NA |
| 4.15.3 & 7.16 | Rocking horses | NA |
| 4.15.4 & 7.16 | Toys not propelled by child | NA |
| 4.15.5 & 7.19 | Toys scooters | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17.1 | Projectiles – General | NA |
| 4.17.2 | Projectiles toys without stored energy | NA |
| 4.17.3 & 7.7 | Projectile toys with stored energy | NA |
| 4.17.4 & 7.7 | Bows and arrows | NA |
| 4.18 & 7.4 | Aquatic toys | NA |
| 4.19 & 7.13 & 7.14 | Percussion caps | NA |
| 4.20*a, b, c, e, f, & 7.14 | Acoustics | NA |

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1: 2005 AND AMENDMENT A6:2008)**

| Subclause | Requirement | Result |
|---|--|--------|
| 4.20d | Acoustics – Percussion caps | NA |
| 4.21 | Toys containing a heat source | NA |
| 4.22 & 7.2 | Small balls | NA |
| FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS | | |
| 5.1 | General | NA |
| 5.1a | Small parts – as received | NA |
| 5.1b | Small parts, sharp points, sharp edges – after tests | NA |
| 5.1c | Cross section < 2mm metal points & wires | NA |
| 5.1e | Toys contain glue | NA |
| 5.1f | Splinters | NA |
| 5.1g | Casing of toys | NA |
| 5.2 | Filing materials | NA |
| 5.3 | Adhesion of plastic sheeting | NA |
| 5.4 & 7.11 | Cords on toys | NA |
| 5.5 & 7.12 | Liquid filled toys | NA |
| 5.6 | Electrically driven toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size | NA |
| 5.9 & 7.17 | Monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric shaped toys | NA |
| 5.13 | Suction cups | NA |
| 6 | Packaging | NA |
| WARNINGS, INSTRUCTIONS FOR USE | | |
| 7.1 | Warnings, instructions for use | NA |
| 7.1 | Importer name & address | M |
| 7.1 | Retain statement | M |
| 7.1 | CE marking | M |
| 7.2 | Toys not intended for children under 36 months | NA |
| 7.5 | Functional toys | NA |

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|--|------------|---|------------|---|------------|---|
| 4.3 | 8.25.1 | 4.14.2 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12 | 4.17.3 | 8.24.1 | 5.5 | 8.15 |
| 4.6 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14 | 4.15.1.3 | 8.11, 8.12, 8.21, 8.22 | 4.17.4 | 8.24.2 | 5.6 | 8.29 |
| 4.7 | 8.11 | 4.15.1.4 | 8.23.1 | 4.18 | 8.2, 8.3, 8.4.2.1 | 5.8 | 8.16 |
| 4.8 | 8.12, 8.13 | 4.15.1.5 | 8.26.1 | 4.20 | 8.28 | 5.10 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32 |
| 4.9 | 8.4.2.3, 8.11, 8.12 | 4.15.2.4 | 8.26.2 | 4.21 | 8.30 | 5.11 | 8.33 |
| 4.10.1 | 8.18.2, 8.18.3 | 4.15.3 | 8.21, 8.23.1 | 4.22 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32 | 5.12 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, |
| 4.10.2 | 8.5, 8.6, 8.7, 8.11, 8.12 | 4.15.4 | 8.21, 8.23.1 | 5.1 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12 | 5.13 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32 |
| 4.11 | 8.2, 8.3, 8.4.2.1, 8.9, 8.17 | 4.15.5 | 8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27 | 5.2 | 8.2, 8.4.2.2, 8.10 | | |
| 4.13 | 8.19 | 4.16 | 8.23.2 | 5.3 | 8.4.2.1, 8.25 | | |
| 4.14.1 | 8.31.1, 8.31.2 | 4.17.1 | 8.4.2.3 | 5.4 | 8.20 | | |

* Note: With modification by using Sound level meter complying with the specifications of IEC60651 and IEC60804.



RESULTS:

FLAMMABILITY (EN 71: PART 2: 2006 & AMENDMENT A1: 2007)

| Subclause | Requirement | Result |
|-----------|--|--------|
| 4.1 | Celluloid (cellulose nitrate) | NP |
| 4.1 | Dangerous flammable gases, liquids and solids | NP |
| 4.1 | Materials with a pile surface which produces a flash effect on the approach of a flame | NA |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child on play | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child on play with warning | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.4 | Toys intended to be entered by a child with warning | NA |
| 4.5 | Filled soft toys with a pile or textile surface | NA |

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|-------------|------------|-------------|------------|-------------|------------|-------------|
| 4.2.2 | 5.2 | 4.2.4 | 5.3 | 4.3 | 5.4 | 4.5 | 5.5 |
| 4.2.3 | 5.3 | 4.2.5 | 5.4 | 4.4 | 5.4 | - | - |



JOKER (FAR EAST) LTD
Technical Report: **(5209)142-0743**
May 26, 2009
Page 8 of 10

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments–A1:2000/AC:2002)

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

| Sample Identity | Color | Location | Style |
|---|--------------|-----------|-------|
| Material classification: Category I - POLYMERIC MATERIALS | | | |
| A. | Translucent | Container | 1-2 |
| B. | Light green | Container | 1-2 |
| C. | Red | Cover | 1-2 |
| D. | Black | Lock | 1-2 |
| E. | Yellow, soft | Slimy | 1 |
| F. | Pink, soft | Slimy | 2 |
| Material classification: Category I - SURFACE COATINGS | | | |
| G. | Blue | Container | 1-2 |



RESULTS:

MIGRATION OF CERTAIN ELEMENTS (EN 71-3: 1994 and Amendments–A1:2000/AC:2002)

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

| Element | As | Ba | Cd | Cr | Hg | Pb | Sb | Se | Mass of trace Amount | Conclusion |
|----------------------------------|----------------|------|------|------|------|------|------|------|----------------------|------------|
| Max. Limit (Category I) (mg/kg) | 25 | 1000 | 75 | 60 | 60 | 90 | 60 | 500 | | |
| Max. Limit (Category II) (mg/kg) | 25 | 250 | 50 | 25 | 25 | 90 | 60 | 500 | | |
| Analytical Correction | 60% | 30% | 30% | 30% | 50% | 30% | 60% | 60% | | |
| Sample | Result (mg/kg) | | | | | | | | (gram) | Conclusion |
| A | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| B | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| C | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| D | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| E | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| F | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | | Pass |
| G | LT 2 | 4 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | LT 2 | 0.0101 | Pass |


mg/kg = milligrams per kilogram (ppm=parts per million)
 CR = adjusted analytical result
 LT = Less Than
 * = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium,
 Cr = Chromium, Hg = Mercury, Pb = Lead,
 Sb = Antimony, Se = Selenium

RESULTS:



Sample Number
(5209)142-0743



Sample Number
(5209)142-0743

END OF REPORT



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

JOKER (FAR EAST) LTD

Technical Report: (5209)142-0743(A)

May 26, 2009

Date Received: May 25, 2009

Page 1 of 2

HARRIS CHAN
JOKER (FAR EAST) LTD
UNIT 501 ENERGY PLAZA
92 GRANVILLE RD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description: ORIGINAL SLIMY 33005 ORIGINAL SWISS FORMULA GREEN YELLOW AND PINK
1.) GREEN YELLOW
2.) PINK

| | | | |
|-----------------------------|---------------------|--------------------|-------|
| Vendor: | N/A | Sample Size: | 4 |
| Manufacturer: | JOKER AG/SA | Style No(s): | 33005 |
| Buyer: | TOP TOY | SKN/SKU No.: | N/A |
| Labeled Age Grade: | +3 | PO No.: | N/A |
| Appropriate Age Grade: | NOT REQUESTED | Ref #: | N/A |
| Client Specified Age Grade: | 3+ | Country of Origin: | CHINA |
| Grade: | | Assortment No.: | N/A |
| Tested Age Grade: | OVER 3 YEARS OF AGE | | |
| UPC Code: | 7611212330057 | | |

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The cadmium content requirements of the European "Council Directive 91/338/EEC of 18 June 1991 amending for the 10th time Directive 76/769/EEC on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations".

BUREAU VERITAS HONG KONG LIMITED

Choy Hon Kwong, Adams
Senior Manager
Chemical Department

AC/si



RESULTS:

CADMIUM CONTENT (European Council Directive 91/338/EEC, Relating to restrictions on the marketing and use of certain dangerous substances and preparations)

| Category: | | | | Plastics | | | |
|--------------------------|--------------|-----------|----------------|-----------------------------|-----------|---------|------------|
| Element: | | | | Cadmium | | | |
| Test Method | | | | BS EN 1122: 2001, Method B | | | |
| Maximum Allowable Limit: | | | | 100 mg/kg (0.01% by weight) | | | |
| Sample Description | | | | Reading 1 | Reading 2 | Average | Conclusion |
| Color / Component | Location | Style | Result (mg/kg) | | | | |
| (A) | Translucent | Container | 1-2 | LT 10 | LT 10 | LT 10 | Pass |
| | Light green | Container | 1-2 | | | | |
| | Red | Cover | 1-2 | | | | |
| (B) | Black | Lock | 1-2 | LT 10 | LT 10 | LT 10 | Pass |
| | Yellow, soft | Slimy | 1 | | | | |
| | Pink, soft | Slimy | 2 | | | | |

LT = Less than
 # = Insufficient sample for duplicate analyses
 mg/kg = milligrams per kilogram (ppm = parts per million)
 Operator: Wong Tsz Hong

| Category: | | | | Paints | |
|--------------------------|-------------|-----------|----------------|-----------------------------|------|
| Element: | | | | Cadmium | |
| Test Method: | | | | In house acid digestion | |
| Maximum Allowable Limit: | | | | 100 mg/kg (0.01% by weight) | |
| Test Component | | | Result (mg/kg) | Conclusion | |
| Colour/Component | Location | Style | | | |
| (A) | Blue, black | Container | 1-2 | LT 18 | Pass |

LT = Less than
 * = Average of duplicate analyses
 mg/kg = milligrams per kilogram (ppm = parts per million)